

Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX <u>0140174</u> DATE: <u>11/18/2024</u>

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 101

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): 0.0218

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: <u>BLDG. 102</u>

Sample collection date: <u>10/23/2024</u>

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 103

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems

Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: _ CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 119

Sample collection date: _10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX <u>0140174</u> DATE: <u>11/18/2024</u>

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 104

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems

Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 106

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX <u>0140174</u> DATE: <u>11/18/2024</u>

PWS NAME: CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 107

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems

Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 108

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): 0.0984

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 113

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems

Texas Commission on Environmental Quality

PWS ID #: TX_0140174 DATE: _11/18/2024

PWS NAME: _ CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 117

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems

Texas Commission on Environmental Quality

PWS ID #: TX <u>0140174</u> DATE: <u>11/18/2024</u>

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 111

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX_0140174 DATE: 11/18/2024

PWS NAME: _ CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 118

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX <u>0140174</u> DATE: <u>11/18/2024</u>

PWS NAME: _ CENTRAL TEXAS COLLEGE KILLEEN ___

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 120

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 121

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX_0140174 DATE: _11/18/2024

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: <u>BLDG. 122</u>

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX <u>0140174</u> DATE: <u>11/18/2024</u>

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 136

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: _ CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 150

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX_0140174 DATE: 11/18/2024

PWS NAME: _ CENTRAL TEXAS COLLEGE KILLEEN__

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 151

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 152

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX 0140174 DATE: 11/18/2024

PWS NAME: <u>CENTRAL TEXAS COLLEGE KILLEEN</u>

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: <u>BLDG. 153</u>

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585



Community Public Water Systems
Texas Commission on Environmental Quality

PWS ID #: TX <u>0140174</u> DATE: <u>11/18/2024</u>

PWS NAME: _ CENTRAL TEXAS COLLEGE KILLEEN

Our public water supply system is required to periodically collect tap water samples to determine the lead levels in our system. Your residence was selected for this monitoring as part of our system's sampling plan. This notice is provided to you with the analytical results of the tap water sample collected at your home.

Sample address: BLDG. 154

Sample collection date: 10/23/2024

Analytical Lead result, in mg/L (milligrams per liter): <0.005

Definitions

Action Level (AL): The action level is a concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a public water system must follow. The lead action level is 0.015 mg/L. Maximum contaminant level goal (MCLG): The level of a contaminant in drinking water below which there is no expected health risk. MCLGs allow a margin of safety. The MCLG for lead is 0.

What are the health effects of lead and how can I reduce my exposure?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [CENTRAL TEXAS COLLEGE KILLEEN is responsible for providing drinking water that meets all federal and state standards, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap until the water is noticeably colder before using the water and using only cold water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested Information on lead in drinking water and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at. When replacing your bathroom or kitchen faucet, consider a "lead-free" faucet that meets NSF/ANSI Standard 61 Annex G, which is less than 0.25% lead by weight.

Who can I contact at my water system for more information?

Phone number at our public water supply system: (254) 526-1585